



2020/21

PRODUCT CATALOGUE



Tel: 021 852-5708

E-mail: sales@capeag.co.za

Websites:

www.capeag.co.za

www.pruning.co.za

www.great-pruning-products.com

www.magicmilk.co.za

www.oko.com

Physical Address: Postal Address:

15 Sergeant Street	P.O. Box 2145
Somerset West	Somerset West
Western Cape	7129
7130	South Africa
South Africa	



vZ88ajQe



SnapScan

PRUNING

The range of pruning tools available to the professional and recreational user is vast, comprising one handed shears as well as loppers, saws, knives and many more cutting tools.

At Cape Agricultural Products we supply only high quality products, used around the world by professional users.



ARS Pruning Tools

Page 3-9

Cape Agricultural Products is the sole importer of ARS pruning tools into South Africa. Manufactured in Japan, this range of tools includes folding pruning saws as well as pruning shears that have excellent quality cutting blades.



Bahco Pruning tools

Page 10-25

The range of pruning tools offered by Bahco [previously Sandvik], is extensive, satisfying the demands of professional users, discerning gardeners as well as arborists, landscapers and forestry personnel.



C.A.P Pruning tools

C.A.P. has sourced internationally good quality, value for money pruning and nursery equipment that we recommend with confidence.



Felco Pruning Tools

Felco Pruning shears are respected worldwide and are regarded by many as the best pruning shears available today. Still manufactured in Switzerland to the highest standards



Since its beginnings in 1876, ARS has employed state-of-the-art technology as well as equipment developed in-house, in order to produce the highest quality pruning saws and shears possible. Naturally the saws do their job of cutting, very well and due to their light weight and new, ergonomic design they are easy to use.

Try one of the ARS products today, you will be thankful you did!

Steel Quality

“The good cutting edge” is from “The good quality steel”

Thermal Treatment

“The Tenacity” and “The Hardness” is the key factor of cutting edges.

Grinding

In order to produce the reliable products, ARS has been doing from the research of the own production process to the development of its own machine on all the products.

Design

ARS new design features ergonomic, economic and durability.

SPARE PARTS AVAILABLE FOR ALL ARS PRODUCTS

ARS FOLDING SAWS

Taper ground ARS teeth are honed to a precise knife-edge sharpness. The unique patented blade produces remarkably clean cuts. Precision ground teeth have a razor edge and the fast easy **pulling action** requires far less effort than conventional saws. Hard-chrome is applied for an extra tough, rust resistant and wipe-clean blade. Impule hardening adds greater durability to the already high standard saw blades.

210-DX



Spare blade item code : 211

Type	Straight blade
Overall length	350mm
Blade length	150mm
Tooth thickness	1.2mm
Tooth pitch	4.0mm
Weight	140g

Z-17



Spare blade item code : G-17-1

Type	Straight blade
Overall length	383mm
Blade length	170mm
Tooth thickness	1.2mm
Tooth pitch	4.0mm
Weight	175g

GR-18L



Spare blade item code : 18R-1

Type	Curved blade
Overall length	410mm
Blade length	180mm
Tooth thickness	1.2mm
Tooth pitch	3.5mm
Weight	165g

1K-10



No spares available.

Type	Curved blade
Overall length	220mm
Blade length	90mm
Tooth thickness	0.6mm
Tooth pitch	3.5mm
Weight	35g

ARS FIXED BLADE SAWS

Quality features:

Blade

The impulse hardening enhances the durability of the already high standard saw blade.

Belt clip

Simple belt clip adjustments ensure the sheath is suitable for both right and left handed users.

Guiding roller

A roller is fixed at the plastic sheath opening which enables the smooth insertion/removal of the saw without damage.

Grip

The rubber coating on the ergonomically-designed grip ensures even greater ease in handling.

UV-32E



Spare blade item code : [UV-32-E1](#)

Type	Curved blade
Overall length	500mm
Blade length	320mm
Tooth thickness	1.2mm
Tooth pitch	4.0mm
Weight	420g

TL-27



Spare blade item code : [TL-27-1](#)

Type	Straight blade
Overall length	437mm
Blade length	270mm
Tooth thickness	1.3mm
Tooth pitch	3.5mm
Weight	200g


9F-10 FEATHER EDGE FILE




This enables the blades to last longer through proper maintenance.
This helps to reduce replacement costs.

ARS PRUNING SHEARS

Unique
Locking System




Easy Blade
Replacement System



The single-handed “squeeze-open” system is simple, convenient and easy to use. All the user needs to do is press the handles together and the spring-loaded locking catch will open up, allowing you to begin pruning. The catch will then stay open as long as you are busy.

Easy blade replacement system. Allows simple blade replacement with the combination of bolt/nut and screw retainer mechanism.

VS RANGE



All spares are available individually to maintain the shears.

The ergonomically shaped handles are die-cast aluminium for extra strength and the non-slip grip makes it easier to control the pruner during intensive pruning. The polyurethane cushions on both handles, together with the quality spring, ensure that the user’s hand, wrist and forearm are not placed under excessive stress, leading to injury, during the pruning season.

Model	Length	Weight	Cutting Ø
VS-7XZ	180mm	212g	19mm
VS-8XZ	200mm	220g	22mm
VS-9XZ	227mm	257g	25mm

CB-8



Spares are available to maintain the shears.

The CB-8 pruner from ARS is a very effective pruner with exceptionally sharp blades - even thicker branches or vines can be cut using these shears. The design of the shear allows the blade to open wide, with a relatively small grip opening. The upper handle of the shear is rubber coated to fit comfortably into the palm of the hand, eliminating fatigue. Most pruning jobs in vineyards, nurseries and landscaping are handled with ease with the CB-8.

Model	Length	Weight	Cutting Ø
CB-8	205mm	210gram	22mm

PRUNING PRODUCTS

130-DX



The hard chrome plated blades are precision ground to ensure smooth, clean and easy cutting. Due to the hardening process the blades last longer and withstand rust. The anatomically shaped handles, together with the angled cutting head make it easier to get into narrow spaces for precision pruning.

*** Ideal for use in nurseries and for making cuttings ***

Model	Length	Weight	Cutting Ø
130DX	195mm	160g	22mm

HOLSTER FOR SHEARS



This leather holster from ARS is ideally suited to hold any one of the ARS pruning shears above, as well as other pruning shears you may already have.

Made from high quality leather, the design of the holster means it can be used in one of 2 ways - either with a belt through the loops, or by using the metal clip to clip onto a belt.

LONG REACH PRUNERS
160 RANGE - CUT & HOLD



Model	Length	Weight	Cutting Ø
160-0.6	600mm	395g	10mm
160-1.8	1800mm	690g	10mm
160-2.4	2400mm	890g	10mm

Ideal for harvesting cut flowers that have long delicate stems that you would not like to damage [lilies are a good example]

The cutting head has an integrated “cut and hold” grip to hold flowers or branches that have been cut off, for easy removal from the plant. The rotating arm enables the user to make cuts from any angle. Super lightweight design, but still incredibly strong.

The tools are lightweight so less strain on the user’s arms.

1.8m and 2.4 m lengths are ideal for tall tree and plants.

TELESCOPIC LONG REACH PRUNER
180 - ZF



Model	Length min	Length max	Weight	Cutting Ø
180ZF-3.0-5	1760mm	3010mm	1185g	20mm

The 180-ZF is a telescopic, aluminium, long reach pruner. The blades are carbon hardened and hard chrome plated.



ARS LOPPERS

1. The shape and the sharpness of the blades have been improved for greater cutting performance.
2. Lightweight and durable heavy-duty tubular aluminium handles.
3. Ergonomically designed grip for comfortable handling with minimum fatigue.
4. Improved heavy duty shock absorber reduces the cutting force and permits easier handling.



LPB-30M



The LPB-30M professional bypass lopper from ARS has recently been improved for greater cutting performance. The tubular aluminium handles are lightweight and durable, yet are able to be used in heavy duty applications.

Model	Length	Weight	Cutting Ø
LPB-30M	630mm	1020g	36mm

LPA-30L



The LPA-30L anvil lopper from ARS features an anvil head and cutting blade that is very effective for thicker branches. The blades are drop forged for extra strength, and the lopper is ergonomically designed and engineered to ensure greater cutting power, with the extra lever action assisting the user. The strong, yet lightweight aluminum handles ensure an excellent weight to power ratio.

Model	Length	Weight	Cutting Ø
LPA-30L	806mm	1130g	45mm

LONG REACH POWERFUL PRUNER

185 - 1.8



Cantilever mechanism makes it easier to cut thick tree limbs.

You can easily rotate the head by 180 degrees to reach the branches you want to cut.

Model	Length	Weight	Cutting Ø
185-1.8	1800mm	1690g	45mm

ARS POLE SAWS

Cape Agricultural Products recently introduced one model of the ARS pole saws and poles to the South African market. These pole saws and poles are exceptional quality and have been very well received by landscapers, farmers, and arborists.

Spare parts available.

UV-47



Type	Curved blade
Overall length	670mm
Blade length	470mm
Tooth thickness	1.6mm
Tooth pitch	4.5mm
Weight	500g



EXP - 3.3



EXP - 5.5

Model	Length min	Length max	Weight
EWX-1.8	1200mm	1800mm	935g
EWX-2.7	1800mm	2700mm	1185g

Sockets also available:



JG-1



JG-3

Cross section



EXW POLE SAW



Type	Straight blade
Blade length	300mm
Tooth thickness	1.2mm
Tooth pitch	4.0mm
Weight	102g

The UV-47 pole saw is a very effective pole saw, with a large blade for use in landscaping, forestry and general arborist applications.

The blade has a hooked tip, which is useful for removing branches and twigs from the canopy of trees and plants. A bark cutter is standard, this prevents peeling of the bark below the cut and also helps with the removal of twigs and creepers.

This saw can be mounted on the 3-section ARS telescopic poles.

The “oval/square” tube design of the ARS poles ensures less flexibility when being used. The saw is attached with a simple, effective system of spring loaded push buttons.

Extending the telescopic pole is very easy and it is kept in place with the use of push buttons and locking levers. This also means the pole can be fixed at any length you require.

Extendable professional telescopic pole saw, equipped with turbocut blade. Telescopic pole is made of a light weight, aluminium and is provided with a comfortable non-slip grip. Very strong and stable due to its design. The blade is from a hard, chrome-plated metal which is rust resistant.

Model	Length min	Length max	Weight
EWX-1.8	1200mm	1800mm	935g
EWX-2.7	1800mm	2700mm	1185g



BAHCO

Bahco manufactures and offers high quality pruning and cutting solutions for professionals working in vineyards, orchards, landscaping, arboriculture and forestry. During the development of tools, engineers work closely together with professional end-users. Over the years, this approach has led to important design features making the task easier and offering the best possible solution for each different task.

This had led to important design features that make Bahco pruning and cutting tools the first choice of professional users all over the world. Bahco tools are comfortable, efficient, long lasting and a pleasure to use. All Bahco products guarantee the user a clean cut with maximum efficiency.

GREEN INDUSTRIES

Viticulture and Horticulture

Bahco secateurs, with their various designs are made to make the job of pruning easier and more efficient. Use loppers or pruning saws for thicker and harder wood. Pole saws reduce the effort required when working on tall trees. Bahco pruning tools are the best choice for repetitive work, combining ergonomics with performance, whilst ensuring a clean, perfect cut.

Arboriculture

When working from the ground or using ropes and harness techniques, good tools is an absolute must-have. Bahco pole saws and top pruners help to cut off high branches and overgrown trees and also enable overhead trimming without the need of a ladder.

Landscaping

There is a broad range of tools for planting, plant care, trimming, precision or rough pruning and greening to keep green spaces and private gardens in perfect shape. Bahco Super Light hedge shears are extremely strong and comfortable to use.

Forestry

From axes to debarking and logging tools and chain saw files, Bahco offers an assortment adapted to manual forestry work and wood handling.

In the Bahco range there are different types of secateurs available, for 3 main reasons:

- Professional use - The main reason Bahco has various types of pruning shears is because the secateurs are designed for use by people who make between 5000 and 12000 cuts per day. In this type of work environment, a small improvement in tool efficiency can save the user a lot of hand strain and fatigue.
- Customer Preference - Another major reason there are various types of Bahco pruning shears is simply customer preference.
- Bahco bypass pruning shears are all designed and manufactured with the slicing cut action which gives you, the user, the following benefits:
 - Less cutting force needed
 - Less damage to your plants
 - Less wear = longer tool life
 - Less broken blades
 - Less broken blades

BAHCO PRUNING SHEARS

P1 - ERGONOMIC SHEAR



Spare parts available

Designed for pruning vineyards, orchards and ornamental plants. Blades have slicing cut and precision grinding for high performance. Handles are made of composite material in a comfortable shape. Push-button locking device.

Model	Length	Weight	Cutting Ø
P1-20	200mm	225g	20mm
P1-23	220mm	255g	30mm

P126 - PRUNING SHEAR



Blade is NOT replaceable

Traditional pruning shear with robust design for general purpose. Handles made of stamped and pressed steel.

Model	Length	Weight	Cutting Ø
P126-22-F	220mm	310g	20mm

P138 - ANVIL CUT SHEAR



Spare parts available

Anvil shear for cutting mature and dry wood. Stamped and double bevelled blade.

Model	Length	Weight	Cutting Ø
P138-22-F	220mm	275g	20mm

P64-20 CUT & HOLD SHEAR



Spare parts available

Light shear with handles made of composite material for picking roses, especially designed for cut flower production. A special device on the blade holds on to the stem once cut.

Model	Length	Weight	Cutting Ø
P64-20	210mm	210g	12mm

BAHCO LOPPERS

Bahco has an extensive range of bypass loppers, all with different features and benefits, ranging from one of the smallest, lightest loppers you can find, right up to the P19-80 lopper, which is in a class of it's own. Listed below are various loppers that Cape Agricultural Products supplies to markets in South Africa and neighbouring countries :

As with all high quality tools, the Bahco range of loppers has a full spare parts program, enabling you to extend the life of the tool by replacing worn and broken parts such as blades, counterblades, buffers and all bolts and nuts.

P114 SERIES



Spare parts available

Professional blade material and grinding for highest performance
Narrow cutting head for easy access and quick, precise cuts
Short to medium length handles
Lightweight aluminium handles
Rubber shock absorbers for less fatigue and increased comfort
Less fatigue with properly balanced design
Easier access in confined spaces with the narrow cutting head
Centre bolt locking system prevents blade loosening
Light lopper designed for pruning soft and green wood mainly in vineyards and orchards

Model	Length	Weight	Cutting Ø
P114-SL-40	400mm	630g	30mm
P114-SL-50	500mm	682g	30mm

P16-60



Spare parts available

Very robust, forged counter blade
Strongly curved blade with slicing cut for quick and powerful cuts
Comfortable to use with soft rubber buffers to prevent fatigue
For pruning and training grapevines and fruit trees
Comfortable robust steel handle

Model	Length	Weight	Cutting Ø
P16-60-F	600mm	1025g	30mm

P160 SERIES



Spare parts available

Slim, narrow blade combined with hooked counter blade for a powerful but smooth and easy cut
Forged counter blade to stand the stress of intensive use
Light aluminium handles with long reach for overhead cutting
Rubber shock absorbers for less fatigue and increased comfort
Less fatigue with properly balanced design
Specially designed orchard lopper, also recommended for landscaping

Model	Length	Weight	Cutting Ø
P160-SL-60	600mm	960g	45mm
P160-SL-75	750mm	1090g	45mm

PRUNING PRODUCTS

P280



Spare parts available

Fully-hardened steel blades with Xylan® coating for less friction
Cutting head with sliding lever action for 40% more force and a large cutting capacity of 40 mm
Lightweight aluminium handles for long reach
Rubber shock absorbers for less fatigue and increased comfort
Heavy-duty bypass lopper with lever action
Easy cutting 40% power gain from the lever action sliding mechanism
Heavy-duty Xylan® anti-friction coated blade for easier penetration through the wood

Model	Length	Weight	Cutting Ø
P280-SI-80	800mm	1318g	40mm

P180-70



Spare parts available

Cutting head with fully-hardened blade for powerful cuts and smooth finish
Long reach, also for overhead cutting
Aluminium tube handles for easy handling
Very comfortable to use due to integrated shock absorbing rubber buffers between the handles
Spring clip central bolt locking system
Heavy-duty blade for a powerful cut
Heavy-duty bypass lopper for cutting very thick and strong branches on mature trees and vines

Model	Length	Weight	Cutting Ø
P180-70	800mm	1500g	50mm

P19-80



Spare parts available

Cutting head with fully-hardened blade for powerful cuts and smooth finish
Long reach, also for overhead cutting
Aluminium tube handles for easy handling
Rubber shock absorbers for less fatigue and increased comfort
Spring clip central bolt locking system
Less fatigue with properly balanced design
Heavy-duty blade for a powerful cut
Heavy-duty bypass lopper for cutting very thick and strong branches on mature trees and vines

Model	Length	Weight	Cutting Ø
P19-80-F	800mm	1790g	50mm


BAHCO TOP PRUNERS

The Bahco Top Pruner was invented in France way back in 1934 and has become the industry standard top pruner offering superior cutting performance and strength. It was developed to cover the requirement of a tool to prune trees above normal working height without carrying a ladder around.

Used together with a telescopic extension pole [see below] it is possible to cut branches at a height of up to 6m.

Bahco top pruners are bypass tree secateurs with stamped and fully hardened blades which are precision ground and have a double-bevelled edge. The first bevel ensures easy cutting and the second bevel gives more strength to the blade, makes it stay sharp longer and also offers the possibility to resharpen the blade many times.

P34-37 TOP PRUNER



- With double-bevelled blade
- Stamped, fully-hardened counter blade
- Sap groove to prevent blade from sticking
- Triple lever action to reduce the amount of effort required
- A pruning saw blade can be mounted on this top pruner
- Safer and easier cutting at height without a ladder when used with extension pole
- Long-lasting sharpness and clean cutting with less friction thanks to special blade grinding process
- Less effort required due to the triple pulley mechanism
- Attaches with an adjustable clamp to poles of 25 mm up to 35 mm
- Can be used with adaptor ASP-ATP on ASP- and ATP poles
- Supplied with a 5 m rope with plastic toggle/handle

P34-27A TOP PRUNER



- Lightweight top pruner
- Stamped, fully-hardened counter blade with sap groove to prevent sticking
- Double lever action
- Steel clamp secured with screws
- Fits Ø25 mm poles
- Supplied with 5m rope with plastic toggle/handle
- Safer and easier cutting at height without a ladder when used with extension pole
- Long-lasting sharpness and clean cutting with less friction thanks to special blade grinding process
- Less sticking from the counter blade sap groove
- Can be used with adaptor ASP-ATP on ASP- and ATP poles

BAHCO POLE SAWS

Bahco has manufactured saws for more than 130 years, and all Bahco pruning saws are manufactured in the world's largest handsaw factory in Sweden.

This history, together with continuous development work in conjunction with professional users, ensures that you will be satisfied with the performance of the Bahco saw you choose.

Cape Agricultural Products imports and distributes Bahco pole saws for the South African market.

The models listed below will satisfy a range of users - from the gardener looking for a high quality product, to the landscaper and arborist wanting professional tools that will make their job a pleasure.

The benefits of using pole saws include :

Access to branches that are out of reach.

No need to have a ladder with you.

Easy to use.

Time Saving - Eliminate climbing into trees.

Mobility - The user can move around freely.

FUNCTIONS OF A GOOD SAW TOOTH

Bahco pruning saws feature precision ground teeth, which give the saw blade the correct surface for the 3 functions of a good saw tooth :



THE SAW TOOTH PERFORMS THREE FUNCTIONS

- ▶ **Cutting**
Teeth tips are small knives which cut through the wood fibres. Only 0,2 mm (0.008 inch) of the tooth is used for this function, which is done by the sharp, ground tip
- ▶ **Separating**
Teeth edges are chisels that shave wood from between the cuts
- ▶ **Clearing**
Gullets collect saw dust to deposit it outside the kerf. For this an open and smooth ground surface is needed in the gullet

PRUNING PRODUCTS

385-6T AND 386-6T



For easy reach of higher branches when fitted to Ø25 mm extension pole
386 with hardpoint teeth and 385 can be filed
Strong curved blade with 6 TPI
With steel tube adaptor/handle
Fits all poles: AP-3M, AP-5M and FP-3M
To be used with Ø25 mm extension pole
Blade tip extended into a hook to prevent the blade from slipping out of the kerf
Striking knife attached to the blade and handle to cut the bark before sawing through the branch
Prevents bark stripping

384-6T



For easy reach of higher branches when fitted to Ø25 mm extension pole
Strong curved blade with 6 TPI
Has fileable teeth
With steel tube adaptor/handle
To be used with a Ø25 mm extension pole
Fits all poles: AP-3M, AP-5 and FP-3M

BAHCO TELESCOPIC POLES



Bahco telescopic extension poles are available for use with the complete range of Bahco top pruners and pole saws and 3 variants are available in South Africa.

* 3 Metre Fibreglass - CODE FP-3M (3)

* 5 Metre Aluminium - CODE AP 5M (2)

* 3 Metre Aluminium - CODE AP-3M (1)

The Fibreglass pole is ideally suited for use where there is a risk of coming into contact with electricity lines, while the aluminium poles offer durability.

All poles are easily extended and locked in place with a simple twist on the sections, supplied with wingnuts for attaching Bahco pole saws.

BAHCO SAWS

Bahco has manufactured saws for more than 130 years. Continuous development work, in close co-operation with professional experts, is a vital ingredient in the quest for developing new and better saws.

All Bahco pruning saws are manufactured in the world's largest handsaw factory in Bollnäs, Sweden.

Bahco saw teeth are precision ground from tip to gullet, to ensure efficient and successful sawing.

Saws are protected from rust during transportation as they are covered with a protective layer of environmentally friendly plastic.

4212-14-6T



Spare blade item code : 4400-14

Pruning saw for mature and dry wood

Two different blade lengths offered

Replacement blade available

Type	Curved
Overall length	520mm
Blade length	360mm
Tooth thickness	2.0mm
Tooth pitch	6 tpi
Weight	280g

396-LAPLANDER SAW



Spare blade item code : 396-blade

General-purpose folding saw for cutting both green and dry wood, plastic, bone. etc.

Specially designed for wildlife enthusiasts, hunters and campers
XT hardpoint toothing, 7TPI. Blade specially coated for rust protection and low friction

2-component plastic handle for perfect grip, with leather strap. Safety lock, locked also when folded


Type	Straight
Overall length	400mm
Blade length	190mm
Tooth thickness	1.2mm
Tooth pitch	7 tpi
Weight	200g

BAHCO BOWSAWS

PROFESSIONAL


TWO DIFFERENT TOOTHINGS ACCORDING TO THE APPLICATION

51: Peg toothing for mature and dry wood



- ▶ Triangular set teeth, tips pointing downwards
- ▶ Bevel filed and high-frequency hardened with sharp edges on both sides
- ▶ Hard-Point
- ▶ Every third gullet extended for high chip removal
- ▶ Cut on both push and pull stroke
- ▶ Specifically designed for fast and effective cutting of mature and dry wood

23: Raker toothing for live and green wood



- ▶ Triangular set teeth, tips pointing downwards
- ▶ Bevel and filed and high-frequency hardened with sharp edges on both sides
- ▶ Hard-Point
- ▶ Every fifth tooth is raker and unset which functions like a chisel to remove the chips out of the green wood
- ▶ Cut on both push and pull stroke

SE 16-21



For all types of work, especially in building, gardening, farming and forestry applications
 Powder painted steel tube for excellent rust protection
 Teeth points high-frequency, heat-induction hardened for long-lasting performance
 Innovative tensioning mechanism for high blade tension (up to 120kg) and straight cutting
 The knuckle protector gives comfort and safety
 SE-16-21 with pointed nose for better access in tight areas

Bowsaw information			
Economy	Code	Dry wood Blade	Green wood blade
530mm	SE 16-21	SE 51-21	SE 23-21
600mm	SE 15-24	SE 51-24	-
750mm	SE 15-30	SE 51-30	-
900mm	SE 16-36	SE 51-36	-
Force			
530mm	SE 332-21-51	SE 51-21	SE 23-21


SPARE BLADES AVAILABLE IN 530, 600, 750 AND 900MM LENGTHS.

BAHCO HEDGE SHEARS

STRAIGHT-BLADE SHEARS

When only the highest quality hedge shears are required for your topiary or general hedge trimming work, then look no further than Bahco professional hedge shears.

Hedge shears that are designed with the user in mind will ensure the following : Well Balanced, robust and durable, very sharp blades, buffers to reduce fatigue and injury



STANDARD P-51



The P51 is a high quality hedge shear for professional use in parks,vineyards, estates and particularly for topiary art work.

These hedge shears are highly rated and our customers that use them are convinced they are the best shears available.

Reduced fatigue through superior cutting performance and very comfortable handling.

P-51-SUPER LIGHT



The P51-SL are also high quality hedge shears for professional use.

The SL range is fitted with new light weight aluminium handles to reduce fatigue, while adding strength.

For use in parks,vineyards and estates.

Includes serrations on the one blade for cutting thicker branches.

Reduced fatigue through superior cutting performance and very comfortable handling.

P-51H-SUPER LIGHT



The P51H-SL has the same stamped and fully hardened blades as the P51 and P51-SL hedge shears.

The handles are 36cm long for extended reach and cutting range.

When using the P51H-SL with it's longer handles you can often eliminate the use of a ladder.

Model	Weight	Blade length	Overall Length	Cutting Ø
P51-F	1085g	250mm	570mm	10mm
P51-SL	990g	570mm	570mm	10mm
P51H-SL	1076g	730mm	730mm	10mm

LAWN SHEARS

Suitable for cutting in shrubs, borders, around trees etc.

Stamped, fully-hardened, double-bevelled blade with black Xylan® coating, straight cutting edge, cutting length 20cm


Less bending with the 90cm long handles of round steel tubes, fitted with comfortable plastic sleeved handles

Centre bolt locking system

Easier access in difficult to reach areas with the horizontal cutting blades

Reduced jolting thanks to the rubber buffers

P75




The P75 edge shears are very handy for cutting lawn edges without having to bend down or get on your hands and knees.

The blades are fully hardened for longer life and the steel handles are equipped with comfortable rubber grips.

P74- DUCK'S FOOT



Lawn shear for cutting in difficult-to-reach places where lawn mowers cannot gain access



P74



P75

BAHCO FILES

SHARP-X



Professional tungsten-carbide sharpener to re-sharpen all kind of blades

Two-component handle for comfortable use

Very secure with two side protections to avoid fingers slipping down to the cutting edge of the blade

Two carbide edges for easy and long-lasting use



FEATHER EDGE



Double edge chain saw file “wasa®”

Use for sharpening saws with straight, fine toothing

Sahpe: Parallel, double conical. Surfaces and edges single cut

Teeth pointed towards the tip of the file

Model	Length	Width
4-272-0-6-30	150mm	16mm

ROUND FILES



Each file supplied is individually packaged

Round chain saw file for sharpening the cutting tooth of the saw chain

							
	Barcode		mm.	inch	mm.	inch	
168-6-3.2-1P	8152338	12	150	6	3.2	1/8	13
168-6-3.5-1P	8152345	12	150	6	3.5	9/64	15
168-8-4.0-1P	8152352	12	200	8	4.0	5/32	23
168-8-4.5-1P	8152369	12	200	8	4.5	11/64	27
168-8-4.8-1P	8152376	12	200	8	4.8	3/1	31
168-8-5.2-1P	8152383	12	200	8	5.2	13/64	36
168-8-5.5-1P	8152390	12	200	8	5.5	7/32	39
168-8-6.3-1P	8152406	12	200	8	6.3	1/4	51

BAHCO AXES

Bahco axes are manufactured in Germany and Italy from high quality carbon steel, hardened and tempered for superior durability.

In line with Cape Agricultural Products desire to stock only products of high quality, we recommend these axes, and have chosen models from the range that should satisfy your needs.

All wooden handles are secured with a jagged carbon wedge and axes heads over 1kg are secured with an additional metal ring wedge.

The handles are made of high quality Ashwood or USA Hickory for durability. **Spare handles are available and these are supplied with a fixing wedge as well as an instruction card.**

On this page you will find a selection of Bahco axes, together with pointers on axes safety and care to ensure your experience of using these high quality tools is pleasant and safe.

SPLITTING AXES

LS-MERLIN 2.5FG



An excellent Bahco product for splitting wood. Are you tired of trying to split wood with an axe that has been designed for felling trees, or for general purpose work?

The LS-Merlin splitting axe is our best selling axe and is the solution to your splitting problems.

It is flat on one side for use as a hammer/maul to drive a wedge, and the special wedge-shaped head, together with its weight, makes it easier to penetrate and split wood.

The 3 component handle - Polypropylene handle with fibre glass core and elastomer grip - ensures comfort, safety and long life.

A comfortable non-slip grip on the fibre glass handle offers a soft and secure grip and the large suspension hole makes the axe easy to hang when not in use.

If you need a very heavy splitting axe, then the MES-3.5 is the one for you, with a head that weighs **3.5Kg!**

LS-MERLIN-2.5FG - Head : 2,5Kg. Length : 900mm. Total weight : 3,3Kg.
MES-3.5-900FG - Head : 3,5Kg. Length : 900mm. Total weight : 4,3Kg.

SUS 2.0-800



Another excellent axe that has been designed specifically for splitting wood.

The special wedge shaped head, as well as its weight, provide easier penetration when forcing wood apart.

The head of the axe weighs 2Kg and the length of the axe is 800mm.

Quality ashwood handle secured with a carbon wedge and metal ring wedge.

SUS-2.0-800 - Head : 2Kg. Length : 800mm. Total weight : 2,4Kg.

PRUNING PRODUCTS

CAMPING AXES WITH CURVED ASH HANDLE



Bahco hatchets are lightweight axes with a short handle which makes them easy to carry around and they can even be used indoors.

The hatchets are ideally suited to situations where alien vegetation has to be cleared, due to its light weight. It is also ideal for chopping/splitting wood for your braai [BBQ] or fireplace.

The head is fixed to the handle with a plastic wedge.

Head weights range from 600g to 1Kg and the ashwood handle lengths range from 360mm to 400mm.

HGPS-0.6-360 - Head : 600g. Length : 360mm. Total weight : 785g.

HGPS-0.8-380 - Head : 800g. Length : 380mm. Total weight : 1Kg.

HGPS-1.0-400 - Head : 1,0Kg. Length : 400mm. Total weight : 1,285Kg.

HATCHETS



FELLING AXES

Felling Axes are heavier axes with longer handles and a thin edge, to cut easily into the wood when felling trees.



These axes have head weights that range between 1.6Kg and 1,8Kg and the curved ashwood handles range from 600 - 800mm in length.

Handles are secured to the head with a carbon fibre wedge as well as a metal ring wedge, and are replaceable.

FGS-1.6-810 - Head : 1,6Kg. Length : 800mm. Total weight : 2,2Kg.

FGS-1.8-810 - Head : 1,8Kg. Length : 800mm. Total weight : 2,4Kg.



This axe is a flare-headed felling axe with a long, straight handle enabling a long swing and deep cut.

The 3 component handle - Polypropylene handle with fibre glass core and elastomer grip - ensures comfort, safety and long life.

A large hole at the end of the handle makes the axe easy to hang when not in use.

FFSS-1.5-900FG - Head : 1,5Kg. Length : 900mm. Total weight : 2,4Kg.

PRUNING PRODUCTS

CAMPING AXE



This is a general purpose axe for lighter applications, with the reverse side of the head suitable for use as a hammer. It is ideal for 4 x 4 enthusiasts, camping trips and general light-duty use around the house.

The straight, three component handle with non-slip grip is a new modification to this model. The handle is polypropylene with an elastomer grip and fibreglass core. This new handle design gives comfort, safety and long life.

HFGPS-0.7-400FG - Head : 700g. Length : 430mm. Total weight : 950g

HATCHET HAMMER



Also known as a plasterer's hatchet this small hatchet is ideal for camping trips and light duty work when making a fire. Ideal item to keep in your outdoor kit or 4x4 vehicle.

The tubular steel shaft, has a comfortable rubber handle. It has an anti-slip striking face and a nail puller incorporated into the blade. GS certification mark means the tool meets German technical safety requirements.

494-600 - Head : 400g. Length : 315mm. Total weight : 845g.

SPLITTING WEDGES W-S-2.0 TWISTED



Splitting Wedges, when used together with a maul or sledge hammer are used for splitting very hard and thick wood.

As described above, DO NOT try to hit the wedge in with the back of a normal axe as this will damage the axe.

The traditional steel wedge [see left], can be used. Also available is a twisted steel wedge of 2Kg which is for easy splitting of hard-to-work types of wood, needing little force to drive it in.

W-T-2.0 TWISTED



CALIPERS



2800 - 320mm
2802 - 500mm

BAHCO KNIVES

Bahco has an extensive range of bypass loppers, all with different features and benefits, ranging from one of the smallest, lightest loppers you can find, right up to the P19-80 lopper, which is in a class of it's own. Listed below are various loppers that Cape Agricultural Products supplies to markets in South Africa and neighbouring countries :

2444



Robust knife with a solid stainless steel blade for multipurpose use

Bi-material handle for comfort in use

Supplied with a practical sheath for belt carrying



1446



Robust knife with a solid stainless steel blade for multipurpose use

Single component handle for comfort in use and a safe grip

Overall product length 220 mm, blade length 100 mm



Supplied with a practical sheath for belt carrying

Bahco 1446

2449



Heavy-duty product made from impact-resistant PPE with a blade hardened to 58-61 HRC for a long-lasting edge

Impact-resistant PPE blade 100 mm long which can be struck with a hammer on the back edge and 100 mm long blade which increases the striking area - 4 mm thick blade

Comfortable two-component heavy-duty hammer impact-resistant handle



Extra finger protection from the curved knuckle guard which can also be used for leverage

Protective holster with button clip, compatible with workwear

P-20



High-quality pruning knife for pruning of very delicate trees such as peach

Also used for pruning young trees in nurseries and for thinning out fruit branches

Special hook design of the folding blade and plastic cover for comfortable grip